

AEMT CME Skills Cover Sheet

Name _____

AEMT # _____

Expiration Date _____

Skill Successfully Completed	Date	CIC	#
Patient Assessment Medical			
Patient Assessment Trauma			
Cardiac Arrest Management			
Long Bone Injury			
Joint Injury			
Bleeding Control Shock Mgmt.			
Traction Splinting			

New York State Division of State EMS
Advanced-EMT Practical Skills Examination

Performs physical exam appropriate for patient condition/complaint	5	
Verbalizes appropriate treatment plan for patient condition/complaint	1	
States field impression of patient and makes transport decision	3	
REASSESSMENT		
Reviews primary survey for changes	1	
Reassesses vital signs	1	
Evaluates response to treatments	1	
Repeats secondary assessment appropriate for change in patient condition	1	
Total Points	48	

Pass *Fail*

Critical Criteria

- Failure to take appropriate PPE precautions or ensure scene safety
- Failure to complete primary survey before initiating secondary assessment
- Uses or orders a harmful intervention
- Exhibits unprofessional behavior or affect
- Failure to obtain a minimum of 34 points
- Failure to complete skill evaluation within 10 minutes

Factual documentation of rationale must be provided below if any of the above critical criteria are checked

Comments:

New York State Division of State EMS
Advanced-EMT Practical Skills Examination

Patient Assessment – Trauma

Student Name: _____ NYS #: _____

Examiner Name: _____ Examiner Signature: _____

Date: _____ Start Time: _____ End Time: _____

	Points Possible	Points Awarded
SCENE SIZE-UP		
Takes appropriate PPE precautions	1	
Determines the scene/situation is safe	1	
Determines the number of patients	1	
Determines the mechanism of injury	1	
Requests additional help, if necessary	1	
Considers stabilization of the spine	1	
PRIMARY SURVEY		
Verbalizes general impression of the patient	1	
Determines level of consciousness/mentation	1	
Determines chief complaint	1	
Assess for patent airway, perform appropriate intervention if necessary	1	
Assures adequate ventilation	1	
Initiates oxygen therapy as appropriate	1	
Assesses/controls exsanguinating hemorrhage	1	
Assesses skin color, temperature, and condition	1	
Assesses pulse	1	
Initiates appropriate shock management	1	
SECONDARY ASSESSMENT		
Attempts to obtain a SAMPLE history	1	
Attempts to obtain a history of present illness (HPI)	1	
Vital Signs -Pulse & Quality (2) [+/- 10] -Blood Pressure (2) [SBP +/- 10, DBP +/- 10] -Respiratory Rate & Quality (2) [+/- 2] -Level of consciousness (1)	7	
Diagnostics (blood glucose test, pulse oximetry, etc.) as indicated	2	
Head -Inspects the head (1) -Palpates the skull (1) -Assesses pupils (1)	3	

New York State Division of State EMS
Advanced-EMT Practical Skills Examination

Neck -Inspects position of the trachea (1) -Inspects jugular veins (1) -Palpates cervical spine (1)	3	
Chest -Inspects and palpates chest wall (2) -Auscultates chest (1)	3	
Abdomen/Pelvis -Inspects and palpates abdomen (2) -Assess pelvis (1) -Verbalizes assessment of the genitalia (1)	4	
Extremities -Inspects and palpates all extremities (1 per extremity) -Assesses motor, sensory, and circulatory functions (1 per extremity)	8	
Posterior -Inspects and palpates posterior areas (2)	2	
Verbalizes appropriate treatment plan for patient condition/complaint	1	
States field impression of patient and makes transport decision	3	
REASSESSMENT		
Reviews primary survey for changes	1	
Reassesses vital signs	1	
Evaluates response to treatments	1	
Repeats secondary assessment appropriate for change in patient condition	1	
Total Points	58	

Pass Fail

Critical Criteria

- Failure to take appropriate PPE precautions or ensure scene safety
- Failure to complete primary survey before initiating secondary assessment
- Uses or orders a harmful intervention
- Exhibits unprofessional behavior or affect
- Failure to obtain a minimum of 41 points
- Failure to complete skill evaluation within 10 minutes

Factual documentation of rationale must be provided below if any of the above critical criteria are checked

Comments:

New York State Division of State EMS
Advanced-EMT Practical Skills Examination

Cardiac Arrest Management

Student Name: _____ NYS #: _____

Examiner Name: _____ Examiner Signature: _____

Date: _____ Start Time: _____ End Time: _____

	Points Possible	Points Awarded
Takes appropriate PPE precautions and ensures scene/situation safety	1	
Candidate checks patient responsiveness	1	
<i>Examiner informs candidate: "The patient is unresponsive."</i>		
Requests second EMT assistant and additional resources	1	
Candidate checks breathing and pulse simultaneously	1	
<i>Examiner informs candidate: "The patient is apneic and pulseless."</i>		
Directs immediate initiation of chest compressions	1	
Initiates ventilatory support with BVM	1	
Ensures 2 minutes of high-quality, 2-rescuer adult CPR in accordance with current AHA guidelines -Adequate depth and rate (1) -Correct compression-to-ventilation ratio (1) -Allows for full chest recoil (1) -Adequate volumes for each breath (1) -Minimal interruptions of no more than 10 seconds (1)	5	
Turns on power to AED	1	
Follows prompts and correctly attaches AED to patient	1	
Stops CPR and ensures all individuals are clear of the patient during AED analysis	1	
Ensures that all individuals are clear of the patient and delivers shock from AED	1	
Immediately directs EMT assistant to resume chest compressions	1	
Inserts a basic airway adjunct (oral/nasal airway)	1	
Assures BVM ventilations with supplemental oxygen at 15-25 LPM	1	
<i>Second EMT assistant arrives at scene. Examiner informs candidate: "Ventilation is being performed without difficulty and pulse oximetry indicates the patient's blood oxygen saturation is 80%."</i>		
Instructs second EMT assistant to assume BVM ventilations and ensures appropriate volumes are being delivered	1	
Reassesses appropriate PPE precautions and continued scene/situation safety	1	
Successfully performs insertion of supraglottic airway device (utilize Supraglottic Airway Device evaluation form)	15	
Successfully performs insertion of IV and administers appropriate medication (utilize Intravenous Therapy evaluation form)	31	
Verbalizes preparing patient for transport or contacting medical control	1	
Appropriately verbalizes report to receiving facility or medical control physician	1	
Total Points	68	

New York State Division of State EMS
Advanced-EMT Practical Skills Examination

Supraglottic Airway Device (Cardiac Arrest Management)

Student Name: _____ NYS #: _____

Examiner Name: _____ Examiner Signature: _____

Date: _____ Start Time: _____ End Time: _____

<i>Second EMT assistant arrives on scene</i>	Points Possible	Points Awarded
Checks and prepares supraglottic airway device	1	
Lubricates distal tip of the supraglottic airway device (may be verbalized)	1	
Removes basic airway device (oral/nasal airway)	1	
Positions head properly	1	
Performs a tongue-jaw lift	1	
Inserts device to appropriate depth according to manufacturer's recommendation	1	
Secures device in patient [inflates cuff(s) with proper volumes and immediately removes syringe or secures strap]	1	
Ventilates patient and confirms proper ventilation by auscultation over the epigastrium (1) and bilaterally over the lung fields (1)	2	
Adjusts device as necessary to optimize ventilation	1	
Verifies proper device placement by secondary confirmation [capnography, capnometry, or colorimetric device]	1	
Indicates proper values/findings on secondary confirmation device for proper supraglottic airway device placement	1	
Secures device or confirms the device remains properly secured	1	
Ventilates patient at proper rate and volume while observing capnography/capnometry and pulse oximeter for a minimum of 30 seconds	1	
Directs EMT assistant to take over ventilation and assures proper rate and volumes	1	
Total Points	15	

New York State Division of State EMS
Advanced-EMT Practical Skills Examination

Intravenous Therapy (*Cardiac Arrest Management*)

Student Name: _____ NYS #: _____

Examiner Name: _____ Examiner Signature: _____

Date: _____ Start Time: _____ End Time: _____

	Points Possible	Points Awarded
Checks selected IV fluid for proper fluid (1), clarity (1), and expiration date (1)	3	
Selects appropriately sized catheter	1	
Selects appropriate administration set	1	
Connects IV tubing to the IV solution bag	1	
Prepares administration set [fills drip chamber and primes tubing]	1	
Cuts/tears/prepares tape [prior to venipuncture]	1	
Takes appropriate PPE precautions [prior to venipuncture]	1	
Applies constricting band	1	
Palpates suitable vein	1	
Cleanses site appropriately	1	
Performs venipuncture -Inserts stylette (1) -Notes flashback (1) -Occludes vein proximal to catheter (1) -Removes stylette (1) -Connects IV tubing to catheter (1)	5	
Disposes/verbalizes proper disposal of needle in proper container	1	
Releases constricting band	1	
Runs IV for a brief period to assure patent line	1	
Secures catheter [tapes securely or verbalizes]	1	
Adjusts flow rate as appropriate for TKO/KVO rate	1	
Selects correct medication for patient condition	1	
Assures correct concentration and dosage of medication	1	
Assembles prefilled syringe correctly and dispels air	1	
Identifies and cleanses injection site closest to the patient	1	
Stops IV flow	1	
Administers correct dose at proper push rate	1	
Disposes/verbalizes proper disposal of syringe and needle in proper container	1	
Turns IV flow on and adjusts to appropriate rate	1	
Verbalizes need to observe patient for desired effect/side effects	1	
Total Points	31	

New York State Division of State EMS
Advanced-EMT Practical Skills Examination

Cardiac Arrest Management

Pass

Fail

Critical Criteria

- Failure to take appropriate PPE precautions or ensure scene safety
- Failure to check responsiveness, then check breathing and pulse simultaneously for no more than 10 seconds
- Failure to immediately direct initiation of chest compressions as soon as pulselessness is confirmed
- Failure to ensure acceptable high-quality, 2-rescuer adult CPR
- Interrupts CPR for more than 10 seconds at any point
- Failure to correctly attach the AED to the patient
- Failure to operate the AED properly
- Failure to deliver shock in a timely manner
- Failure to ensure that all individuals are clear of patient during rhythm analysis and before delivering shock [verbalizes “All clear” and observes]
- Failure to immediately resume compressions after shock delivered
- Failure to provide high oxygen concentration oxygen
- Failure to ventilate the patient at a rate of 10 – 12/minute (1 ventilation every 5 – 6 seconds)
- Failure to provide adequate volumes per breath [maximum 2 errors/minute permissible]
- Failure to pre-oxygenate patient prior to insertion of the supraglottic airway device
- Failure to insert the supraglottic airway device at a proper depth or location within 3 attempts
- Failure to inflate cuffs properly and immediately remove the syringe for supraglottic airway device (if applicable)
- Releases supraglottic airway device prior to securing device properly with strap
- Failure to confirm that patient is being ventilated properly by auscultation bilaterally over lungs and over the epigastrium after placement of supraglottic airway device
- Failure to establish a patent and properly adjusted IV within 3 attempts
- Contaminates IV equipment or IV site without appropriately correcting the situation
- Performs any improper technique resulting in the potential for uncontrolled hemorrhage, catheter shear, or air embolism during placement of IV
- Failure to adequately dispel air from syringe resulting in potential for air embolism
- Injects improper medication or dosage [wrong medication, incorrect amount, or pushes at inappropriate rate]
- Failure to turn-on IV flow after injecting medication
- Recaps needle or failure to dispose/verbalize disposal of syringe, blood-contaminated sharps, and other material in proper container at the point of use
- Exhibits unacceptable affect with patient or other personnel
- Uses or orders a dangerous or inappropriate intervention
- Failure to obtain a minimum of 48 points in total for Cardiac Arrest Management station
- Failure to complete entire Cardiac Arrest Management station within 20 minutes

Factual documentation of rationale must be provided on rear of sheet if any of the above critical criteria are checked

Please print.

STATION
1 - D

**IMMOBILIZATION
SKILLS
LONG BONE INJURY**

Pass _____
Fail _____

Candidate _____
 Examiner _____ Initials _____
 Date _____ Start Time _____ Stop Time _____

	Points:	Possible	Awarded	Comments
Takes, or verbalizes, body substance isolation precautions		C		
Directs application of manual stabilization of the injury		1		
Assesses motor, sensory and circulatory function in the injured extremity		C		
Note: The examiner acknowledges "motor, sensory and circulatory function are present and normal"				
Measures the splint		1		
Applies the splint		1		
Immobilizes the joint above the injury site		C		
Immobilizes the joint below the injury site		C		
Secures the entire injured extremity		1		
Immobilizes the hand/foot in the position of function		1		
Reassesses motor, sensory and circulatory function in the injured extremity		C		
Note: The examiner acknowledges "motor, sensory and circulatory function are present and normal"				
Candidate did not grossly move the injured extremity		C		
Candidate must complete station within 10 minute time limit		C		

Note: Candidate must complete all critical criteria and receive at least 4 points to pass this station.

Total to pass 4 Total 5

COMMENTS:

Please print.

STATION
1 - E

IMMOBILIZATION
SKILLS
JOINT INJURY

Pass _____
Fail _____

Candidate _____
 Examiner _____ Initials _____
 Date _____ Start Time _____ Stop Time _____

	Points:	Possible	Awarded	Comments
Takes, or verbalizes, body substance isolation precautions		C		
Directs application of manual stabilization of the shoulder injury		1		
Assesses motor, sensory and circulatory function in the injured extremity		C		
Note: The examiner acknowledges "motor, sensory and circulatory function are present and normal"				
Selects the proper splinting material		1		
Immobilizes the site of the injury		1		
Immobilizes the bone above the injured joint		C		
Immobilizes the bone below the injured joint		C		
Reassessed motor, sensory and circulatory function in the injured extremity		C		
Note: The examiner acknowledges "motor, sensory and circulatory function are present and normal"				
Joint is supported so that the joint does not bear distal weight		C		
Candidate completed station within the 5 minute time limit		C		

Note: Candidate must complete all critical criteria and receive at least 2 points to pass this station.

Total to pass 2 Total 3

COMMENTS:



Advanced Level Practical Examination
BLEEDING CONTROL/SHOCK MANAGEMENT

Candidate: _____ Examiner: _____

Date: _____ Signature: _____

Time Start: _____ Time End: _____

Takes or verbalizes infection control precautions	1	
Applies direct pressure to the wound	1	
Elevates the extremity	1	
NOTE: The examiner must now inform the candidate that the wound continues to bleed		
Applies an additional dressing to the wound	1	
Note: The examiner must now inform the candidate that the wound is still continuing to bleed. The second dressing does not control bleeding.		
Locates and applies pressure to appropriate arterial pressure point	1	
Note: The examiner must now inform the candidate that the bleeding is controlled.		
Bandages the wound	1	
Note: The examiner must now inform the candidate that the patient is exhibiting signs and symptoms of hypoperfusion.		
Properly position the patient	1	
Administers high concentration oxygen	1	
Initiates steps to prevent heat loss from the patient	1	
Indicates the need for immediate transportation	1	
TOTAL TO PASS 7	TOTAL 10	

CRITICAL FAILURE

- ___ Did not take or verbalize body substance isolation precautions
- ___ Did not apply high concentration of oxygen
- ___ Applies tourniquet before attempting other methods of hemorrhage control
- ___ Did not control hemorrhage in a timely manner
- ___ Did not indicate the need for immediate transportation

You must factually document your rationale for checking any of the above critical items on the reverse side of this form.

Please print.

STATION
6 - D

**IMMOBILIZATION
SKILLS
TRACTION SPLINTING**

Pass _____
Fail _____

Candidate _____
 Examiner _____ Initials _____
 Date _____ Start Time _____ Stop Time _____

	Points:	Possible	Awarded	Comments
Takes, or verbalizes, body substance isolation precautions		C		
Directs application of manual stabilization of the injured leg		1		
Candidate assesses motor, sensory and circulatory function in the injured extremity		C		
Note: The examiner acknowledges "motor, sensory and circulatory function are present and normal"				
Directs the application of manual traction		1		
Prepares/adjusts splint to the proper length		1		
Applies the splint to the injured leg		1		
Applies the proximal security device (e.g....ischial strap)		1		
Applies the distal securing device (e.g....ankle hitch)		1		
Applies mechanical traction		1		
Positions/secures the support straps		1		
Re-evaluates the proximal/distal security devices		1		
Candidate reassesses motor, sensory and circulatory function in the injured extremity		C		
Note: The examiner acknowledges "motor, sensory and circulatory function are present and normal"				
Note: The examiner must ask the candidate how he/she would prepare the patient for transportation				
Verbalizes securing the torso to the long board to immobilize the hip		1		
Verbalizes securing the splint to the long board to prevent movement of the splint		1		
Traction is maintained throughout application of splint		C		
The foot was not excessively rotated or extended after the splint was applied		C		
Secured the ischial strap before applying mechanical traction		C		
Final immobilization supported the femur and prevented rotation of the injured leg		C		
Applied mechanical traction before securing the leg to the splint		C		
Candidate completed the station within the 10 minute time limit		C		

Note: If the Sagar splint or the Kendricks Traction Device is used without elevating the patient's leg, application of manual traction is not necessary. The candidate should be awarded one point as if manual traction were applied.

Note: If the leg is elevated at all, manual traction must be applied before elevating the leg. The ankle hitch may be applied before elevating the leg and used to provide manual traction.

Note: Candidate must complete all critical criteria and receive at least 7 points to pass this station.

Total to pass 7 Total 11

COMMENTS: