

ALS CME Skills Cover Sheet

Name _____

EMT # _____

Expiration date _____

Skill Successfully Completed	Date	CIC	#
Patient Assessment Trauma			
Patient Assessment Medical			
Long Bone Splint			
Joint Splint			
BVM			
ET			
Upper Airway Adjuncts/Suction			
IV Start			
IV Bolus			
Static			
Dynamic			
Pacing			
Cardioversion			
Traction Splint			
Bleeding Control/Shock Management			
Supplemental O2 Admin			



Candidate: _____ Examiner _____

Date: _____ Signature: _____

Scenario # _____ Time Start: _____ Time End: _____

Takes or verbalizes body substance isolation precautions	1	
SCENE SIZE-UP		
Determines the scene/situation is safe	1	
Determines the mechanism of injury/nature of illness	1	
Determines the number of patients	1	
Requests additional help if necessary	1	
Considers stabilization of spine	1	
INITIAL ASSESSMENT/RESUSCITATION		
Verbalizes general impression of the patient	1	
Determines responsiveness/level of consciousness	1	
Determines chief complaint/apparent life-threats	1	
Airway		
- Opens and assesses airway (1 point) - inserts adjunct as indicated (1 point)	2	
Breathing		
- Assess breathing (1 point)		
- Assures adequate ventilation (1 point)		
- Initiates appropriate oxygen therapy (1 point)		
- Manages any injury which may compromise breathing/ventilation (1 point)	4	
Circulation		
- Checks pulse (1 point)		
- Assess skin [either skin color, temperature, or condition (1 point)		
- assesses for and controls major bleeding if present (1 point)		
- Initiates shock management (1 point)		
	4	
Identifies priority patients/makes transport decision	1	
FOCUSED HISTORY AND PHYSICAL EXAMINATION/RAPID TRAUMA ASSESSMENT		
Selects appropriate assessment	1	
Obtains, or directs assistant to obtain, baseline vital signs	1	
Obtains SAMPLE history	1	
DETAILED PHYSICAL EXAMINATION NOTE: Areas denoted by ** may be integrated within Initial Assessment		
Head		
- Inspects mouth**, nose**, and assesses facial area (1 point)		
- Inspects and palpates scalp and ears (1 point)		
- Assesses eyes for PERRL** (1 point)		
	3	
Neck**		
- Checks position of trachea (1 point)		
- Checks jugular veins (1 point)		
- Palpates cervical spine (1 point)		
	3	
Chest**		
- Inspects chest (1 point)		
- Palpates chest (1 point)		
- Auscultates chest (1 point)		
	3	
Abdomen/pelvis**		
- Inspects and palpates abdomen (1 point)		
- Assesses pelvis (1 point)		
- Verbalizes assessment of genitalia/perineum as needed (1 point)		
	3	
Lower extremities**		
- inspects, palpates, and assesses motor, sensory, and distal circulatory functions (1 point/leg)		
	2	
Upper extremities		
- inspects, palpates, and assesses motor, sensory, and distal circulatory functions (1 point/arm)		
	2	
Posterior thorax, lumbar, and buttocks**		
- Inspects and palpates posterior thorax (1 point)		
- Inspects and palpates lumbar and buttocks area (1 point)		
	2	
Manages secondary injuries and wounds appropriately	1	
Performs ongoing assessment	1	
TOTAL TO PASS 30		43

CRITICAL FAILURE

- ___ Failure to initiate or call for transport of the patient within 10 minutes time limit
- ___ Failure to take or verbalize infection control precautions
- ___ Failure to determine scene safety
- ___ Failure to assess for and provide spinal protection when indicated
- ___ Failure to voice and ultimately provide high concentration of oxygen
- ___ Failure to assess/provide adequate ventilation
- ___ Failure to find or appropriately manage problems associated with airway, breathing, hemorrhage or shock
- ___ Failure to differentiate patient's needing transportation versus continued on-scene assessment/treatment
- ___ Does other detailed physical examination before assessing & treating threats to airway, breathing & circulation
- ___ Orders a dangerous or inappropriate intervention

You must factually document your rationale for checking any of the above critical items on the reverse side of this form.



Candidate: _____ Examiner _____

Date: _____ Signature: _____

Scenario # _____ Time Start: _____ Time End: _____

Takes or verbalizes body substance isolation precautions	1	
SCENE SIZE-UP		
Determines the scene/situation is safe	1	
Determines the mechanism of injury/nature of illness	1	
Determines the number of patients	1	
Requests additional help if necessary	1	
Considers stabilization of spine	1	
INITIAL ASSESSMENT/RESUSCITATION		
Verbalizes general impression of the patient	1	
Determines responsiveness/level of consciousness	1	
Determines chief complaint/apparent life-threats	1	
Assesses airway and breathing - Assessment (1 point) - Assures adequate ventilation (1 point) - Initiates appropriate oxygen therapy (1 point)	3	
Assesses circulation - Assesses/controls major bleeding (1 point) - Assesses pulse (1 point) - Assesses skin [either skin color, temperature, or condition] (1 point)	3	
Identifies priority patients/makes transport decision	1	
FOCUSED HISTORY AND PHYSICAL EXAMINATION/RAPID TRAUMA ASSESSMENT		
History of present illness - Onset (1 point) - Severity (1 point) - Provocation (1 point) - Time (1 point) - Quality (1 point) - Radiation (1 point) - Clarifying questions of associated signs and symptoms as related to OPQRST (2 points)	8	
Past medical history - Allergies (1 point) - Past pertinent history (1 point) - Events leading to present illness (1 point) - Medications (1 point) - Last oral intake (1 point)	5	
Performs focused physical examination [assess affected body part/system if indicated, completes rapid assessment] - Cardiovascular - Neurological - Integumentary - Reproductive - Pulmonary - Musculoskeletal - GI/GU - Psychological/Social	5	
Vital signs - Pulse (1 point) - Respiratory rate and quality (1 point each) - Blood pressure (1 point) - AVPU (1 point)	5	
Diagnostics [must include application of ECG monitor for dyspnea and chest pain]	2	
States field impression of patient	1	
Verbalizes treatment plan for patient and calls for appropriate intervention(s)	1	
Transport decision re-evaluated	1	
ON-GOING ASSESSMENT		
Repeats initial assessment	1	
Repeats vital signs	1	
Evaluates response to treatment	1	
Reports focused assessment regarding patients complaint or injuries	1	
TOTAL TO PASS 32		46

CRITICAL FAILURE

- ___ Failure to initiate or call for transport of the patient within 15 minutes time limit
- ___ Failure to take or verbalize infection control precautions
- ___ Failure to determine scene safety before approaching patient
- ___ Failure to voice and ultimately provide appropriate oxygen therapy
- ___ Failure to assess/provide adequate ventilation
- ___ Failure to find or appropriately manage problems associated with airway, breathing, hemorrhage or shock
- ___ Failure to differentiate patient's need for immediate transportation versus continued assessment and treatment at the scene
- ___ Does other detailed or focused history or physical examination before treating threats to airway, breathing & circulation
- ___ Failure to determine the patient's primary problem
- ___ Orders a dangerous or inappropriate intervention
- ___ Failure to provide for spinal protection when indicated

You must factually document your rationale for checking any of the above critical items on the reverse side of this form.

Please print.

STATION
1 - D

IMMOBILIZATION
SKILLS
LONG BONE INJURY

Pass _____
Fail _____

Candidate _____
 Examiner _____ Initials _____
 Date _____ Start Time _____ Stop Time _____

	Points:	Possible	Awarded	Comments
Takes, or verbalizes, body substance isolation precautions		C		
Directs application of manual stabilization of the injury		1		
Assesses motor, sensory and circulatory function in the injured extremity		C		
Note: The examiner acknowledges "motor, sensory and circulatory function are present and normal"				
Measures the splint		1		
Applies the splint		1		
Immobilizes the joint above the injury site		C		
Immobilizes the joint below the injury site		C		
Secures the entire injured extremity		1		
Immobilizes the hand/foot in the position of function		1		
Reassesses motor, sensory and circulatory function in the injured extremity		C		
Note: The examiner acknowledges "motor, sensory and circulatory function are present and normal"				
Candidate did not grossly move the injured extremity		C		
Candidate must complete station within 10 minute time limit		C		

Note: Candidate must complete all critical criteria and receive at least 4 points to pass this station.

Total to pass 4 Total 5

COMMENTS:

Please print.

STATION
1 - E

IMMOBILIZATION
SKILLS
JOINT INJURY

Pass _____
Fail _____

Candidate _____
 Examiner _____ Initials _____
 Date _____ Start Time _____ Stop Time _____

	Points:	Possible	Awarded	Comments
Takes, or verbalizes, body substance isolation precautions		C		
Directs application of manual stabilization of the shoulder injury		1		
Assesses motor, sensory and circulatory function in the injured extremity		C		
Note: The examiner acknowledges "motor, sensory and circulatory function are present and normal"				
Selects the proper splinting material		1		
Immobilizes the site of the injury		1		
Immobilizes the bone above the injured joint		C		
Immobilizes the bone below the injured joint		C		
Reassessed motor, sensory and circulatory function in the injured extremity		C		
Note: The examiner acknowledges "motor, sensory and circulatory function are present and normal"				
Joint is supported so that the joint does not bear distal weight		C		
Candidate completed station within the 5 minute time limit		C		

Note: Candidate must complete all critical criteria and receive at least 2 points to pass this station.

Total to pass 2 Total 3

COMMENTS:

STATION
3
EMT

**BAG-VALVE-MASK
APNEIC WITH
PULSE**

Pass _____
Fail _____

Please Print

Candidate _____

Examiner _____ Initials _____

Date _____ Start Time _____ Stop Time _____

	Points:	Possible Awarded	Comments
Takes, or verbalizes, body substance isolation precautions	C		
Opens the airway	1		
Inserts an airway adjunct	1		
Selects appropriately sized mask	1		
Creates a proper mask-to-face seal	1		
Delivers first ventilation within 30 seconds of opening the airway	1		
Ventilates patient at a rate of 10 – 12 breaths per minute (approximately once every 5 – 6 seconds), for no more than 30 – 45 seconds	1		
Connects reservoir and oxygen	1		
Adjusts liter flow to 15 liters per minute or greater	C		
The examiner indicates the arrival of a second EMT The second EMT is instructed to ventilate the patient while the candidate controls the mask and the airway	1		
Reopens the airway	1		
Creates a proper mask-to-face seal	1		
Instructs assistant to resume ventilations at an adequate volume to achieve visible chest rise.	1		
Instructs assistant to resume ventilations at a rate of 10 – 12 breaths per minute (approximately once every 5 – 6 seconds) (The examiner must witness for a minimum of 30 seconds)	1		
Ventilates patient at an adequate volume to achieve visible chest rise	C		
Did not Interrupt ventilations for more than 30 seconds at any time	C		
Candidate ventilated patient prior to connecting supplementary oxygen	C		
Adequate ventilation volumes (did not over or under ventilate)	C		
Allowed for adequate exhalation	C		
Candidate completed station within the 5 minute time limit	C		
Note: Candidate must complete all critical criteria and receive at least 9 points to pass this station.	12		

COMMENTS:



Candidate: _____ Examiner _____

Date: _____ Signature: _____

NOTE: If candidate elects to ventilate with BVM attached to reservoir and oxygen, full credit must be awarded for steps denoted by ** so long as first ventilation is delivered within initial 30 seconds.

Takes or verbalizes infection control precautions	1	
Opens the airway manually	1	
Elevates tongue, inserts simple adjunct [either oropharyngeal or nasopharyngeal airway]	1	
NOTE: Examiner now informs candidate no gag reflex is present and patient accepts adjunct		
**Ventilated patient immediately with bag-valve-mask device unattached to oxygen	1	
**Hyperventilates patient with room air	1	
NOTE: Examiner now informs candidate that ventilation is being performed without difficulty and that pulse oximetry indicates the patient's blood oxygen saturation is 85%		
Attaches oxygen reservoir to bag-valve-mask device and connects to high flow oxygen regulator [12-15 liters/min.]	1	
Ventilates patient as a rate of 10-20/minute with appropriate volumes	1	
NOTE: After 30 seconds, examiner auscultates and reports breath sounds are present, equal bilaterally and medical control has ordered intubation. The examiner must now take over ventilation.		
Directs assistant to pre-oxygenate patient	1	
Identifies/selects proper equipment for intubation	1	
Checks equipment for: - Cuff leaks (1 point) - Laryngoscope operational and bulb tight (1 point)	2	
NOTE: Examiner to remove OPA and move out of the way when candidate is prepared to intubate		
Positions head properly	1	
Inserts blade while displacing tongue	1	
Elevates mandible with laryngoscope	1	
Introduces ET tube and advances to proper depth	1	
Inflates cuff to proper pressure and disconnects syringe	1	
Directs ventilation of patient	1	
Confirms proper placement by auscultation bilaterally and over epigastrium	1	
NOTE: Examiner to ask "If you had proper placement, what would you hear?"		
Secures ET tube [may be verbalize]	1	
NOTE: Examiner now asks candidate, "Please demonstrate one additional method of verifying proper tube placement in this patient."		
Identifies/selects proper equipment	1	
Verbalizes findings and interpretations (compares indicator color to the colorimetric scale and states reading to examiner)	1	
Note: Examiner now states, "You see secretions in the tube and hear gurgling sounds with the patient's exhalation."		
Identifies/selects a flexible suction catheter	1	
Pre-oxygenates patient	1	
Marks maximum insertion length with thumb and forefinger	1	
Inserts catheter into the ET tube leaving catheter port open	1	
At proper insertion depth, covers catheter port and applies suction while withdrawing catheter	1	
Ventilates/directs ventilation of patient as catheter is flushed with sterile water	1	
TOTAL TO PASS 19	27	<input type="text"/>

CRITICAL FAILURE

- ___ Failure to initiate ventilations within 30 seconds after applying gloves or interrupts ventilation for greater than 30 seconds at any time
- ___ Failure to take or verbalize body substance isolation precautions
- ___ Failure to voice and ultimately provide high oxygen concentration [at least 85%]
- ___ Failure to ventilate patient at rate of at least 10/min
- ___ Failure to provide adequate volumes per breath [maximum 2 errors/minute permissible]
- ___ Failure to pre-oxygenate patient prior to intubation and suctioning
- ___ Failure to successfully intubate within 3 attempts
- ___ Failure to disconnect syringe **immediately** after inflating cuff of ET tube
- ___ Uses teeth as a fulcrum
- ___ Failure to assure proper tube placement by auscultation bilaterally **and** over the epigastrium
- ___ If used, stylette extends beyond end of ET tube
- ___ Inserts any adjunct in a manner dangerous to patient.
- ___ Suctions the patient for more than 15 seconds
- ___ Does not suction the patient

You must factually document your rationale for checking any of the above critical items on the reverse side of this form.

Please print.

STATION
3 - G

**UPPER AIRWAY
ADJUNCTS
& SUCTION**

Pass _____
Fail _____

Candidate _____
Examiner _____ Initials _____
Date _____ Start Time _____ Stop Time _____

Points: Possible Awarded Comments

OROPHARYNGEAL AIRWAY

Takes, or verbalizes, body substance isolation precautions	C		
Selects appropriately sized airway	1		
Measures airway	1		
Inserts airway without pushing the tongue posteriorly	1		
Note: The examiner must advise the candidate that the patient is gagging and becoming conscious			
Removes the oropharyngeal airway	1		

SUCTION

Note: The examiner must advise the candidate to suction the patient's airway			
Turns on/prepares suction device	1		
Assures presence of mechanical suction	1		
Inserts the suction tip without suction	1		
Applies suction to the oropharynx/nasopharynx	1		
Candidate demonstrated acceptable suction technique	C		

NASOPHARYNGEAL AIRWAY

Note: The examiner must advise the candidate to insert a nasopharyngeal airway			
Selects appropriately sized airway	1		
Measures airway	1		
Verbalizes lubrication of the nasal airway	1		
Fully inserts the airway with the bevel facing toward the septum	1		
Candidate did not insert any adjunct in a manner dangerous to the patient	C		
Candidate completed the station within the 5 minute time limit	C		

Note: Candidate must complete all critical criteria and receive at least 8 points to pass this station.

Total to pass 8 Total 12

COMMENTS:



New York State Department of Health
Bureau of Emergency Medical Services

STATION
4 - A

Advanced Level Practical Examination
INTRAVENOUS THERAPY

Adapted from NREMT



Candidate: _____ Examiner _____

Date: _____ Signature: _____

Time Start: _____ Time End: _____

Checks selected IV fluid for: - Proper fluid (1 point) - Clarity (1 point)	2	
Selects appropriate catheter	1	
Selects proper administration set	1	
Connects IV tubing to the IV bag	1	
Prepares administration set [fills drip chamber and flushes tubing]	1	
Cuts or tears tape [at any time before venipuncture]	1	
Takes/verbalizes infection control precautions [prior to venipuncture]	1	
Applies tourniquet	1	
Palpates suitable vein	1	
Cleanses site appropriately	1	
Performs venipuncture - Inserts stylette (1 point) - Notes or verbalizes flashback (1 point) - Occludes vein proximal to catheter (1 point) - Removes stylette (1 point) - Connects IV tubing to catheter (1 point)	5	
Releases tourniquet	1	
Runs IV for a brief period to assure patent line	1	
Secures catheter [tapes securely or verbalizes]	1	
Adjusts flow rate as appropriate	1	
Disposes/verbalizes disposal of needle in proper container	1	

TOTAL TO PASS 15

TOTAL 21

--

CRITICAL FAILURE

- ___ Exceeded the 6 minute time
- ___ Failure to take or verbalize infection control precautions prior to performing venipuncture
- ___ Contaminates equipment or site without appropriately correcting situation
- ___ Any improper technique resulting in the potential for catheter shear or air embolism
- ___ Failure to successfully establish IV within 3 attempts during 6 minute time limit
- ___ Failure to dispose/verbalize disposal of needle in proper container

NOTE: Check here (___) if candidate did not establish a patent IV and do not evaluate IV Bolus Medications.



New York State Department of Health
Bureau of Emergency Medical Services

STATION
4 - B

Advanced Level Practical Examination
INTRAVENOUS BOLUS MEDICATIONS

Adapted from NREMT



Asks patient for know allergies	1	
Selects correct medication	1	
Assures correct concentration of drug	1	
Assembles prefilled syringe correctly and dispels air	1	
Continues infection control precautions	1	
Cleanses injection site (Y-port or hub)	1	
Reaffirms medication	1	
Stops IV flow (pinches tubing)	1	
Administers correct dose at proper push rate	1	
Flushes tubing (runs wide open for a brief period)	1	
Adjusts drip rate to TKO (KVO)	1	
Voices proper disposal of syringe and needle	1	
Verbalizes need to observe patient for desired effect/adverse side effects	1	

TOTAL TO PASS 9

TOTAL 13

CRITICAL FAILURE


- ___ Failure to begin administration of medication within 3 minute time limit
- ___ Contaminates equipment or site without appropriately correcting situation
- ___ Failure to adequately dispel air resulting in potential for air embolism
- ___ Injects improper drug or dosage (wrong drug, incorrect amount, or pushes at inappropriate rate)
- ___ Failure to flush IV tubing after injecting medication
- ___ Recaps needle or failure to dispose/verbalize disposal of syringe and needle in proper container

You must factually document your rationale for checking any of the above critical items on the reverse side of this form.



New York State Department of Health
Bureau of Emergency Medical Services

STATION
5 - A



Critical Care & Paramedic Practical Examination
CARDIAC ARREST SKILLS STATION
STATIC CARDIOLOGY

Candidate: _____ Examiner _____
Date: _____ Signature: _____
Set # _____

Note: No points for treatment may be awarded if the diagnosis is incorrect.
Only document incorrect responses in spaces provided

STRIP #1		
Diagnosis:	1	
Treatment:	2	

STRIP #2		
Diagnosis:	1	
Treatment:	2	

STRIP #3		
Diagnosis:	1	
Treatment:	2	

STRIP #4		
Diagnosis:	1	
Treatment:	2	


TOTAL TO PASS 8

TOTAL 12



New York State Department of Health
Bureau of Emergency Medical Services

STATION
5 - B



Critical Care & Paramedic Practical Examination
CARDIAC ARREST SKILLS STATION
DYNAMIC CARDIOLOGY

Candidate: _____ Examiner _____
Date: _____ Signature: _____
Set # _____ Time Start: _____ Time End: _____

Takes or verbalizes infection control precautions	1	
Checks level of responsiveness	1	
Checks ABC's	1	
Initiates CPR if appropriate [verbally]	1	
Performs "Quick Look" with paddles	1	
Correctly interprets initial rhythm	1	
Appropriately manages initial rhythm	2	
Notes change in rhythm	1	
Checks patient condition to include pulse and if appropriate, BP	1	
Appropriately manages second rhythm	2	
Notes change in rhythm	1	
Checks patient condition to include pulse and, if appropriate, BP	1	
Correctly interprets third rhythm	1	
Appropriately manages third rhythm	2	
Notes changes in rhythm	1	
Checks patient condition to include pulse and, if appropriate, BP	1	
Correctly interprets fourth rhythm	1	
Appropriately manages fourth rhythm	2	
Orders high percentages of supplemental oxygen at proper times	1	

TOTAL TO PASS 17

TOTAL 24

CRITICAL FAILURE

- ___ Failure to deliver first shock in a timely manner due to operator delay in machine use or providing treatments other than CPR with simple adjuncts
- ___ Failure to deliver second or third shocks without delay other than the time required to reassess and recharge paddles
- ___ Failure to verify rhythm before delivering each shock
- ___ Failure to ensure the safety of self and others [verbalizes "All clear" and observes]
- ___ Inability to deliver DC shock [does not use machine properly]
- ___ Failure to demonstrate acceptable shock sequence
- ___ Failure to order initiation or resumption of CPR when appropriate
- ___ Failure to order correct management of airway [ET when appropriate]
- ___ Failure to administration of appropriate oxygen at proper time
- ___ Failure to diagnose or treat 2 or more rhythms correctly
- ___ Orders administration of an inappropriate drug or lethal dosage
- ___ Failure to correctly diagnose or adequately treat v-fib, v-tach, or asystole

You must factually document your rationale for checking any of the above critical items on the reverse side of this form.



Advanced Level Practical Examination
External Cardiac Pacing

Candidate: _____ Examiner: _____

Date: _____ Signature: _____

Scenario #: _____ Time Start: _____ Time End: _____

	Points Possible	Points Awarded
Takes, or verbalizes body substance isolation precautions	1	
Attach ECG leads to obtain an initial rhythm strip	1	
If the patient is alert, verbalizes explaining procedure to patient.	1	
If patient is alert, considers requesting medical control order for analgesic/sedation	1	
Prepares clean, dry skin sites	1	
Applies pacing pad properly and in correct location	1	
Verifies pacing cable attached to pads and monitor correctly	1	
Turns on pacing function and observes ECG monitor screen to verify proper sensing of QRS	1	
Sets initial pacing rate (~80 per minute)	1	
Gradually increases amount of current until capture is confirmed	1	
Verbalizes reassessment of patients vital signs and general response to the procedure	1	
Verbalizes documentation of time, rate, current, patient response, & attachment of baseline & pacing strips to PCR	1	
TOTAL	12	

Required to pass – 9 points

CRITICAL CRITERIA:

- ___ Failure to place pacing pads properly
- ___ Failure to set appropriate rate and output

You must factually document your rationale for checking any of the above critical items on the reverse side of this form.



**Advanced Level Practical Exam
Synchronized Cardioversion**

Candidate: _____ **Examiner:** _____
Date: _____ **Signature:** _____
Scenario #: _____ **Time Start:** _____ **Time End:** _____

	Points Possible	Points Awarded
Takes, or verbalizes, body substance isolation precautions	1	
Attaches monitor to patient and verifies rhythm requiring cardioversion	1	
Discusses medical control request for analgesia/sedation for conscious patient	1	
Assures large upright QRS complex. Adjusts ECG size if QRS size is not initially adequate	1	
Applies defibrillation pads to chest in proper location or places paddles on patient's chest as in defibrillation	1	
Presses power button and selects desired energy setting	1	
Pushes synchronizer button until "sync" light is on	1	
Assures sync light is flashing. If light is not flashing, turns up ECG size button until light begins to flash	1	
Visually and verbally "clears" the area around the patients	1	
Once patient is "clear", presses discharge button and holds down until defibrillator fires	1	
Once energy is delivered, verifies rhythm and determines if another shock is necessary	1	
<i>Examiner states that rhythm and patient condition are unchanged</i>		
Repeats same steps using the next energy level per protocol or order	1	
Once energy is delivered, verifies rhythm and determines if another shock is necessary	1	
<i>Examiner states that rhythm has converted to normal sinus</i>		
Evaluates patient's vital signs and general response to procedure	1	
TOTAL	14	

Required to pass – 10 points

CRITICAL CRITERIA

- Did not assure all individuals were clear of patient before delivering each shock
- Did not operate synchronizer properly. (Inability to deliver shock)
- Did not hold discharge button down until defibrillator fired

You must factually document your rationale for checking any of the above critical items on the reverse side of this form.



Advanced Level Practical Examination
BLEEDING CONTROL/SHOCK MANAGEMENT

Candidate: _____ Examiner: _____

Date: _____ Signature: _____

Time Start: _____ Time End: _____

Takes or verbalizes infection control precautions	1	
Applies direct pressure to the wound	1	
Elevates the extremity	1	
NOTE: The examiner must now inform the candidate that the wound continues to bleed		
Applies an additional dressing to the wound	1	
Note: The examiner must now inform the candidate that the wound is still continuing to bleed. The second dressing does not control bleeding.		
Locates and applies pressure to appropriate arterial pressure point	1	
Note: The examiner must now inform the candidate that the bleeding is controlled.		
Bandages the wound	1	
Note: The examiner must now inform the candidate that the patient is exhibiting signs and symptoms of hypoperfusion.		
Properly position the patient	1	
Administers high concentration oxygen	1	
Initiates steps to prevent heat loss from the patient	1	
Indicates the need for immediate transportation	1	
TOTAL TO PASS 7	TOTAL 10	

CRITICAL FAILURE

- ___ Did not take or verbalize body substance isolation precautions
- ___ Did not apply high concentration of oxygen
- ___ Applies tourniquet before attempting other methods of hemorrhage control
- ___ Did not control hemorrhage in a timely manner
- ___ Did not indicate the need for immediate transportation

You must factually document your rationale for checking any of the above critical items on the reverse side of this form.

Please print.

STATION
6 - D

**IMMOBILIZATION
SKILLS
TRACTION SPLINTING**

Pass _____
Fail _____

Candidate _____
Examiner _____ Initials _____
Date _____ Start Time _____ Stop Time _____

	Points:	Possible	Awarded	Comments
Takes, or verbalizes, body substance isolation precautions		C		
Directs application of manual stabilization of the injured leg		1		
Candidate assesses motor, sensory and circulatory function in the injured extremity		C		
Note: The examiner acknowledges "motor, sensory and circulatory function are present and normal"				
Directs the application of manual traction		1		
Prepares/adjusts splint to the proper length		1		
Applies the splint to the injured leg		1		
Applies the proximal security device (e.g....ischial strap)		1		
Applies the distal securing device (e.g....ankle hitch)		1		
Applies mechanical traction		1		
Positions/secures the support straps		1		
Re-evaluates the proximal/distal security devices		1		
Candidate reassesses motor, sensory and circulatory function in the injured extremity		C		
Note: The examiner acknowledges "motor, sensory and circulatory function are present and normal"				
Note: The examiner must ask the candidate how he/she would prepare the patient for transportation				
Verbalizes securing the torso to the long board to immobilize the hip		1		
Verbalizes securing the splint to the long board to prevent movement of the splint		1		
Traction is maintained throughout application of splint		C		
The foot was not excessively rotated or extended after the splint was applied		C		
Secured the ischial strap before applying mechanical traction		C		
Final immobilization supported the femur and prevented rotation of the injured leg		C		
Applied mechanical traction before securing the leg to the splint		C		
Candidate completed the station within the 10 minute time limit		C		

Note: If the Sagar splint or the Kendricks Traction Device is used without elevating the patient's leg, application of manual traction is not necessary. The candidate should be awarded one point as if manual traction were applied.

Note: If the leg is elevated at all, manual traction must be applied before elevating the leg. The ankle hitch may be applied before elevating the leg and used to provide manual traction.

Note: Candidate must complete all critical criteria and receive at least 7 points to pass this station.

Total to pass 7 Total 11

COMMENTS:

STATION
4B
EMT

**SUPPLEMENTAL
OXYGEN
ADMINISTRATION**

Pass _____
Fail _____

Please Print

Candidate _____
Examiner _____ Initials _____
Date _____ Start Time _____ Stop Time _____

	Points:	Possible	Awarded	Comments
Takes, or verbalizes, body substance isolation precautions	C			
Assembles the regulator to the tank	1			
Opens the tank	1			
Checks for leaks	1			
Checks and verbalizes tank pressure	1			
Attaches non-rebreather mask to oxygen	1			
Prefills reservoir	C			
Adjusts liter flow to 12 liters per minute or greater	C			
Applies and adjusts the mask to the patient's face	1			
Note: The examiner must advise the candidate that the patient is not tolerating the non-rebreather mask. The examiner must instruct the candidate to remove the non-rebreather mask and apply a nasal cannula to the patient.				
Attaches nasal cannula to oxygen	1			
Adjusts liter flow to 6 liters per minute or less	C			
Applies nasal cannula to the patient	1			
Note: The examiner must advise the candidate to discontinue oxygen therapy.				
Removes nasal cannula from the patient	1			
Shuts off the regulator	1			
Relieves the pressure within the regulator	1			
Candidate assembles the tank and regulator without leaks	C			
Candidate completed the station within the 5 minute time limit	C			
Note: Candidate must complete all critical criteria and receive at least 8 points to pass this station.	11			

COMMENTS: